

IDEALRAIN:
INDULGENT
SHOWERING
THAT'S BUILT
TO LAST



Defining performance



DEFINING PERFORMANCE

For decades, we've been serving architects, contractors, trade partners, and plumbers worldwide with high performance products like the rimless toilet or the ultra-flat shower tray. But the market has never been more demanding than it is today. Your clients and end-users are looking out for improved sustainability and advanced performance. They expect beautiful, lightweight design. We design with the demands of modern life in mind: pushing ourselves to achieve new levels of efficiency, offering elegant and impactful design. Meanwhile, our decades of experience have taught us that there's always a better, more intelligent solution. Which is why we never rest until we've found a way to offer you and your clients a higher standard of performance.

THE IDEALRAIN RANGE

Your clients don't just want a nicely designed product. They expect better performance, superior aesthetics, technological advances and improved efficiency. With this in mind, we've expanded the IDEALRAIN shower range and added two new models: EVO and EVO JET. With refined profiles, updated technologies and high quality engineering, they're designed to meet your clients' needs, whatever the sector or project.

THE LUXURY OF CHOICE

When clients demand higher performance, IDEALRAIN equips you to deliver. The arrival of EVO and EVO JET creates new experiences for users and new looks for your projects, whether they're commercial or civic, renovation or new build. With a wide choice of elegant styles and innovative functions, improving efficiency and comfort, there's an IDEALRAIN solution to enhance any specification and budget.

ELEGANCE THAT ENDURES

IDEALRAIN is refined, yet robust. It's built to last, so it stays looking good and delivering high performance for longer, even with the heaviest use

BUILT FOR EFFICIENCY

Water and energy-saving features help clients cut bills and meet sustainability targets

PACKED WITH TECHNOLOGY

From its high-tech flow engine to Cool Body handsprays, IDEALRAIN blends comfort with performance

FASTER CLEANING

With no joins or overhangs on the faceplate, IDEALRAIN resists limescale build-up and is easy and quick to clean, meaning further financial savings for commercial properties

DESIGNED FOR MAXIMUM COMFORT

Uncompromised water flow and multiple spray modes create a premium showering experience

VERSATILE AND EASY TO INSTALL

IDEALRAIN fits with a range of accessories and is easy to adjust while installing

INTRODUCING EVO JET & EVO



FEELS LIKE NOTHING ELSE

Drop Jet technology on EVO JET creates unique large and soft water droplets for a de-stressing experience

PUSH-BUTTON PERFORMANCE

Ergonomic and intuitive Navigo button switches spray effortlessly between three modes

FRESH, MODERN LOOKS

Refined, attractive profiles in classic round and sophisticated diamond shapes to suit contemporary designs



FEATURES

- High strength metal brackets for ultra-stable wall fixing. These brackets are adjustable for angle adjustment
- Specially reinforced metal sliding rail available in two sizes: 600mm and 900mm
- Two additional models, two hand sprays per model and each with three spray modes. Available in 110mm for EVO and 125mm for EVO JET
- Ergonomic Navigo push button to easily change spray modes
- Heavy-duty ratchet mechanism
- Durable handset & Sure Grip for easy hand control
- Smooth, wipe clean flexible Idealflex shower hose
- Integrated 8 l/min flow restrictor reduces water consumption and brings cost efficiencies

ELEGANCE THAT ENDURES

IDEALRAIN looks good, for longer. Our designers considered every detail to evolve the range to combine eye-catching aesthetics with durability. Strong yet slim, with modern contours and streamlined profiles, the handsprays are light in the hand and intuitive to use. While the metal wall bracket and metal slider with its ergonomic pin are much more robust than plastic fittings.

IDEALRAIN, EVO and EVO JET handsprays are all available in the classic round shape, providing a timeless look in any environment. The sophisticated diamond shape is available with EVO and EVO JET for specifications where something a little different is required.

The entire range stands up to the challenges of frequent daily use and high traffic, making IDEALRAIN perfect for hotels, leisure centres, airports and residential projects. In short: IDEALRAIN is built to last.



OPENING	
Mon - Fri	6.00
Saturday	6.00
Sunday	7.00


BUILT FOR EFFICIENCY



WATER SAVING
The built-in flow restrictor reduces consumption to 8l/min


LESS WATER, LOWER COSTS

IDEALRAIN's precision-designed flow engine delivers optimal spray performance. Easy to fit and remove, the pre-fitted flow restrictor reduces water consumption in high pressure systems from 18.5 l/min to just 8 l/min with no loss of flow.



LET THE SAVINGS FLOW

Idea Irain's 8l/min pre-fitted flow restrictor saves enough water and energy to offer annual cost savings of up to €599.99 a year*.



* Savings for IDEALRAIN handspray with 8 l/m flow restrictor under 3 bar compared to traditional handspray with 18.5 l/m flow rate. Basis of calculation: number of people taking a 3-minute shower/day: 4. All costs in €.

Saving water and energy is front-of-mind in many projects today. IDEALRAIN helps you meet your clients' efficiency targets, with no loss of experience for users. What's more, IDEALRAIN delivers financial savings to your clients, meaning excellent value over the product lifetime.



PACKED WITH TECHNOLOGY

IDEALRAIN embodies our long history of creating innovative solutions that perform with quality and reliability. Its advanced technology assures high performance, a long service life and efficiency.



WATER SAVING
The built-in flow restrictor reduces consumption to 8l/min



COOL BODY
The exterior stays cool to avoid the risk of scalding




NAVIGO
Push button to change between spray modes



EASY CLEAN
Soft, rub-clean nozzles reduce limescale and facilitate easy cleaning

- 1 ULTRA-STRONG CONNECTIONS**
IDEALRAIN handsprays can support weights of up to 20kg on a fixed bracket
- 2 REDUCED WATER CONSUMPTION**
Pre-installed flow restrictors cut water consumption from a typical 18.5 l/min to just 8 l/min, without loss of performance
- 3 COOL BODY TECHNOLOGY**
For improved user safety, this Ideal Standard innovation stops the handspray body from becoming hot to prevent burning
- 4 NAVIGO PUSH BUTTON**
A single touch to easily change between spray modes
- 5 HIGH PERFORMANCE FLOW ENGINE**
All IDEALRAIN handsprays are precision-designed to deliver optimal spray performance at high or low pressure. IDEALRAIN can operate on low pressure systems (0.1 – 5.0 bar)
- 6 HIGH QUALITY, LONGER LASTING NOZZLES**
The high quality nozzles are soft and rub-clean, remaining flexible and easy to clean, therefore lasting longer



DESIGNED FOR MAXIMUM COMFORT

As its name suggests, IDEALRAIN creates a showering experience that's designed to delight. The range features large handsprays to ensure maximum comfort. The nozzles go right to the edge of the sprayplate to maximise downpour.

Big downpours and different spray modes mean users can choose the shower to match their mood: invigorating, relaxing, or just comforting.



DROP JET
Spray mode for exceptional shower experience – great coverage and a soft droplet-like experience



3 SHOWERING FUNCTIONS
3 spray modes for a great showering experience



MAXIMUM SPRAY
The edge-to-edge nozzles maximise spray

SHOWER MODES

RAIN

This popular mode creates a relaxing downpour thanks to nozzles that extend up to the sprayplate edge.

FINE RAIN

A gentle but abundant spray for a thoroughly cleansing feel.

AERATED RAIN


On EVO models, on the aerated rain spray mode, air is sucked into the water to deliver an even gentler, yet still cleansing, showering experience.

DROP JET


On EVO JET, our proprietary Drop Jet technology creates water droplets that are even softer, delivering a truly luxurious feel.

MASSAGE


Available on all handsprays, the massage spray mode delivers a truly invigorating experience.



IDEALRAIN



EVO




EVO JET


A SHOWERING EXPERIENCE FOR EVERY MOOD

Users can enjoy a range of indulgent experiences by cycling between different modes. Welcome to high performance showering that delivers more.

MASSAGE



DROP JET



RAIN



SPRAY MODE

	RAIN	FINE RAIN	AERATED RAIN	DROP JET	MASSAGE
IDEALRAIN EVO JET	●			●	●
IDEALRAIN EVO	●		●		●
IDEALRAIN	●	●			●



VERSATILE CONFIGURATIONS

All IDEALRAIN attachments and fittings are designed to work with each other so you can offer clients a wide choice of configurations, matching handsprays with your choice of strong metal sliding rail, Idealflex hose, and shower head if required.





IDEALRAIN



RAILS

Kits include strong metal sliding shower rails or swivel wall mounted brackets, ideal for different project needs

EVO



EVO JET



SHOWER HEADS
Complete your specification with a shower head

HOSES

IDEALRAIN uses our strong and durable metal Ultraflex hose, while EVO AND EVO JET are fitted with the elegant Idealflex hose. Not only is it easy to clean, with no crannies where limescale can build up, Idealflex is anti-torsion too.





Fire exit

NOTICE
CHECK THAT YOU HAVE
ALL YOUR BELONGINGS
BEFORE YOU LEAVE

DESIGNED FOR DURABILITY

TESTED TO DESTRUCTION

Intensive and continuous testing is the key to class-leading durability. Our tests simulate extreme, real world conditions. Then go a step beyond. Shower components are subjected to high pressure steam, to mimic the harshest of cleaning regimes. They're also sprayed with corrosive salt to test their finishes even further. Sliding rails are distortion tested to a full 75 N so they can withstand a weight of up to 75kg. IDEALRAIN was designed, built and tested to withstand difficult and stressful applications better, so its reputation for robustness in commercial environments will always remain intact.

MADE FOR DEMANDING ENVIRONMENTS

The demands imposed on commercial bathrooms are completely different to those placed on home bathrooms. So, at Ideal Standard, we brought the full weight of our 100 years of experience to bear when we designed our IDEALRAIN collection. It will survive the impact of a high traffic environment and shrug off the rigours of a commercial cleaning regime. It will perform reliably and economically, year after year, guest after guest. This shower head, for example, is uncompromisingly stylish, yet built for long-term durability.



BUILT TO ENDURE

Engineering excellence is a major part of our design strategy. Our 900mm Pro metal sliding bars are much more robust than plastic fittings and doubly reinforced with an outer tube and an inner rail, to resist distortion and perform smoothly, year after year. Meanwhile, we test our handsprays with a thermos shock test through 10,000 cycles (the standard test requires only 300). Similarly, our wall brackets are made of durable metal too, to cope with even the most demanding environments. They're easy to adjust and elegant. Additionally, they're built to handle many times the weight placed on them during normal operation.

REAL-WORLD APPLICATION


Components that perform faultlessly are inevitably subjected to less stress. So our emphasis may be on strength, but functionality is a priority too. IDEALRAIN handspray sliders are a case in point. They glide on their rails, without any sticking. Their controls are easily operated, locking and unlocking in one simple, slick action. And they're built from high quality metal to ensure they cannot be over tightened. Lock. Unlock. Lock. Many thousands of operations later, they still hold the handspray in exactly the right position.

EASY TO INSTALL, GUARANTEED TO PERFORM


When it comes to installation, we know that time is money. So all IDEALRAIN showering systems are installed using the Easymount system, which allows easy adjustments during installation, making IDEALRAIN quick to fit, saving time and keeping projects on track.

We appreciate that your reputation and the success of your projects requires a reliable partner and high-quality, guaranteed products and solutions. That's why IDEALRAIN solutions are made in Europe and come with a five-year guarantee.

And because each market has very specific norms and compliance rules, we have ensured that the IDEALRAIN range meets the following norms: WRAS in the UK, ACS in France, and KTW & W270 in Germany. For further detail on norms and compliance, please visit www.idealstandard.com.




EASYMOUNT
Installation is simple
with Easymount
which allows
adjustments
as you install







THE PROFESSIONALS' CHOICE

IDEALRAIN is an excellent specification choice for your projects, from new build to renovation, residential to commercial. There are three robust models to choose from: IDEALRAIN, IDEALRAIN EVO and IDEALRAIN EVO JET, each with strong metal wall brackets and sliders. They feature refined profiles with round handsprays on all models as well as diamond-shaped on EVO and EVO JET.



	TECHNOLOGY		EXPERIENCE			
	 COOL BODY The exterior stays cool to avoid the risk of scalding	 NAVIGO Push button to change between spray modes	 3 SHOWERING FUNCTIONS 3 spray modes for a great showering experience	 MAXIMUM SPRAY The edge-to-edge nozzles maximise spray	 SUREGRIP Sure Grip allows easy hand control	 DROP JET Spray mode for exceptional shower experience – great coverage and a soft droplet-like experience
IDEALRAIN EVO JET	●	●	●	●	●	●
IDEALRAIN EVO	●	●	●	●	●	
IDEALRAIN	●		●	●	●	

EFFICIENCY	INSTALLATION	MAINTENANCE		GUARANTEE
 WATER SAVING The built-in flow restrictor reduces consumption to 8l/min	 EASYMOUNT Installation is simple with Easymount which allows adjustments as you install	 EASY CLEAN Soft, rub-clean nozzles reduce limescale and facilitate easy cleaning	 IDEALFLEX At 1250mm or 1750mm, the Idealflex hose reduces limescale build-up and is easy to clean	 5 YEAR GUARANTEE
●	●	●	●	●
●	●	●	●	●
●	●	●		●





IDEALRAIN EVO JET

TECHNICAL SPECIFICATIONS

IDEALRAIN EVO JET TECHNICAL SPECIFICATIONS



Handspray
Ø 125mm – round



Model	Price HT €	Ref
Round handspray, 3 functions	xx	B1759AA

- 3 spray mode
- Drop Jet mode
- Navigo push button
- Cool Body
- Large spray 125mm
- Rub clean nozzles
- 8l/min flow regulator
- 5 year guarantee

Handspray
Ø 125mm – diamond



Model	Price HT €	Ref
Diamond handspray, 3 functions	xx	B1760AA

- 3 spray mode
- Drop Jet mode
- Navigo push button
- Cool Body
- Large spray 125mm
- Rub clean nozzles
- 8l/min flow regulator
- 5 year guarantee




Shower Set
Ø 125mm – round



Model	Price HT €	Ref
Round handspray, 1.25m Idealflex hose, 3 functions	xx	B2459AA

Model	Price HT €	Ref
Round handspray, 1.75m Idealflex hose, 3 functions	xx	B1765AA

- IDEALRAIN EVO JET round handspray included (B1759AA)
- 3 spray mode
- Drop Jet mode
- Navigo push button
- Cool Body
- Large handspray 125mm
- 8l/min flow regulator
- Rub clean nozzles
- Idealflex 1.25m hose included for B2459AA and 1.75m for B1765AA
- Metal swivelling wall bracket (B9847AA)
- 5 year guarantee





Shower Set
Ø 125mm – diamond



Shower Kit
Ø 125mm – round



Shower Kit
Ø 125mm – diamond



Model	Price HT €	Ref
Diamond, handspray, 1.25m Idealflex hose, 3 functions	xx	B2460AA
Diamond, handspray, 1.75m Idealflex hose, 3 functions	xx	B1766AA




- IDEALRAIN EVO JET diamond handspray included (B1760AA)
- 3 spray mode
- Drop Jet mode
- Navigo push button
- Cool Body
- Large handspray 125mm
- 8l/min flow regulator
- Rub clean nozzles
- Idealflex 1.25m hose included for B2460AA and 1.75m for B1766AA
- Metal swivelling wall bracket (B9847AA)
- 5 year guarantee

Model	Price HT €	Ref
Round handspray, 1.75m Idealflex hose, 600mm rail	xx	B1761AA
Round handspray, 1.75m Idealflex hose, 900mm rail	xx	B1763AA


- IDEALRAIN EVO JET round handspray included (B1759AA)
- 3 spray mode
- Drop Jet mode
- Navigo push button
- Cool Body
- Large spray 125mm
- 8l/min flow regulator
- Rub clean nozzles
- Idealflex 1.75m hose included
- Easymount metal shower rail 600mm (B9848AA) or 900mm (B9849AA)
- 5 year guarantee

Model	Price HT €	Ref
Diamond handspray, 1.75m Idealflex hose, 600mm rail	xx	B1762AA
Diamond handspray, 1.75m Idealflex hose, 900mm rail	xx	B1764AA

- IDEALRAIN EVO JET diamond handspray included (B1760AA)
- 3 spray mode
- Drop Jet mode
- Navigo push button
- Cool Body
- Large spray 125mm
- 8l/min flow regulator
- Rub clean nozzles
- Idealflex 1.75m hose included
- Easymount metal shower rail 600mm (B9848AA) or 900mm (B9849AA)
- 5 year guarantee



IDEALRAIN EVO



TECHNICAL SPECIFICATIONS

IDEALRAIN EVO

TECHNICAL SPECIFICATIONS



Handspray
Ø 110mm – round



Model	Price HT €	Ref
Round handspray 3 functions	xx	B2231AA

• 3 spray mode
• Navigo push button
• Cool Body
• Large spray 110mm
• Rub clean nozzles
• 8l/min flow regulator
• 5 year guarantee

Handspray
Ø 110mm – diamond



Model	Price HT €	Ref
Diamond handspray, 3 functions	xx	B2232AA

• 3 spray mode
• Navigo push button
• Cool Body
• Large spray 110mm
• Rub clean nozzles
• 8l/min flow regulator
• 5 year guarantee


Shower Set
Ø 110mm – round



Model	Price HT €	Ref
Round handspray, 1.25m Idealflex hose, 3 functions	xx	B2404AA
Round handspray, 1.75m Idealflex hose 3 functions	xx	B2239AA

• IDEALRAIN EVO round handspray included (B2231AA)
• 3 spray mode
• Navigo push button
• Cool Body
• Large spray 110mm
• 8l/min flow regulator
• Rub clean nozzles
• Idealflex 1.25m hose included for B2404AA and 1.75m for B2239AA
• Metal swivelling wall bracket (B9847AA)
• 5 year guarantee

Shower Set
Ø 110mm – diamond



Model	Price HT €	Ref
Diamond handspray, 1.25m Idealflex hose, 3 functions	xx	B2405AA
Diamond handspray, 1.75m Idealflex hose, 3 functions	xx	B2240AA

• IDEALRAIN EVO diamond handspray included (B2232AA)
• 3 spray mode
• Navigo push button
• Cool Body
• Large spray 110mm
• 8l/min flow regulator
• Rub clean nozzles
• Idealflex 1.25m hose included for B2405AA and 1.75m for B2240AA
• Metal swivelling wall bracket (B9847AA)
• 5 year guarantee

Shower Kit
Ø 110mm – round



Model	Price HT €	Ref
Round handspray, 1.75m Idealflex hose, 600mm rail	xx	B2233AA
Round handspray, 1.75m Idealflex hose, 900mm rail	xx	B2237AA







• IDEALRAIN EVO round handspray B2231AA included
• 3 spray mode
• Navigo push button
• Cool Body
• Large spray 110mm
• 8l/min flow regulator
• Rub clean nozzles
• Idealflex 1.75m hose included
• Easymount metal shower rail 600mm (B9848AA) or 900mm (B9849AA)
• 5 year guarantee


Shower Kit
Ø 110mm – diamond



Model	Price HT €	Ref
Diamond handspray, 1.75m Idealflex hose, 600mm rail	xx	B2234AA
Diamond handspray, 1.75m Idealflex hose, 900mm rail	xx	B2238AA

• IDEALRAIN EVO diamond handspray B2232AA included
• 3 spray mode
• Navigo push button
• Cool Body
• Large spray 110mm
• 8l/min flow regulator
• Rub clean nozzles
• Idealflex 1.75m hose included
• Easymount metal shower rail 600mm (B9848AA) or 900mm (B9849AA)
• 5 year guarantee





IDEALRAIN

TECHNICAL SPECIFICATIONS

IDEALRAIN TECHNICAL SPECIFICATIONS



Handspray S
Ø 80mm



Model	Price HT €	Ref
Round handspray 1 function	xx	B9400AA
Round handspray 3 functions	xx	B9401AA

- 1 or 3 spray mode
- Cool Body
- Large spray 100mm
- 8l/min flow restrictor
- Rub clean nozzles
- 5 year guarantee

Handspray M
Ø 100mm



Model	Price HT €	Ref
Round handspray 1 function	xx	B9402AA
Round handspray 3 functions	xx	B9403AA




- 1 or 3 spray mode
- Cool Body
- Large spray 100mm
- 8l/min flow restrictor
- Rub clean nozzles
- 5 year guarantee

Shower Set S
Ø 80mm



Model	Price HT €	Ref
1.5m metal hose double clenched - 1 function	xx	B9506AA
1.5m metal hose double clenched - 3 functions	xx	B9507AA

- 1 or 3 spray mode
- Cool Body
- Large spray 80mm
- 8l/min flow restrictor
- Rub clean nozzles
- Swivelling wall bracket (B9468AA)
- 5 year guarantee






Shower Set M
Ø 100mm




Model	Price HT €	Ref
1.25m Idealflex hose - 1 function	xx	B9451AA
1.25m Idealflex hose - 3 functions	xx	B9452AA
1.5m metal hose double clenched - 1 function	xx	B9453AA
1.5m metal hose double clenched - 3 functions	xx	B9454AA
1.75m Idealflex hose - 1 function	xx	B9455AA
1.75m Idealflex hose - 3 functions	xx	B9456AA

- 1 or 3 spray mode
- Cool Body
- Large spray 100mm
- 8l/min flow restrictor
- Rub clean nozzles
- Swivelling wall bracket (B9468AA)
- 5 year guarantee




Shower Kit S
Ø 80mm



Model	Price HT €	Ref
600mm rail 1 function	xx	B9501AA
900mm rail 1 function	xx	B9502AA
600mm rail 3 functions	xx	B9503AA
900mm rail 3 functions	xx	B9504AA

- 1 or 3 spray mode
- Cool Body
- Large spray 80mm
- 8l/min flow restrictor
- Swivelling wall bracket
- 1.75m metal hose double clenched
- Clear soap dish
- 5 year guarantee




Shower Kit M
Ø 100mm, 1 function



Model	Price HT €	Ref
600mm rail 1 function	xx	B9412AA
900mm rail 1 function	xx	B9414AA
600mm rail 3 functions	xx	B9415AA
900mm rail 3 functions	xx	B9417AA

- 1 or 3 spray mode
- Cool Body
- Large spray 100mm
- 8l/min flow restrictor
- Rub clean nozzles
- Swivelling wall bracket
- 1.75m Idealflex hose
- Clear soap dish
- Easymount shower rail 600mm (B9420AA) or 900mm (B9422AA)
- 5 year guarantee




900mm rail shown

Shower Kit M
Ø 100mm, 3 functions




Model	Price HT €	Ref
720mm rail 1 function	xx	B9418AA
720mm rail 3 functions	xx	B9419AA


- 1 or 3 spray mode
- Cool Body
- Large spray 100mm
- 8l/min flow restrictor
- Rub clean nozzles
- Swivelling wall bracket
- 1.75m Idealflex hose
- Clear soap dish
- Easymount shower rail 720mm (B9421AA)
- 5 year guarantee



720mm rail shown



ACCESSORIES



TECHNICAL SPECIFICATIONS

IDEALRAIN ACCESSORIES

TECHNICAL SPECIFICATIONS

-  Easy mount installation
-  Easy clean
-  5 year guarantee

Sliding bar



Model	Price HT €	Ref
600mm sliding bar	xx	B9420AA
720mm sliding bar	xx	B9421AA
900mm sliding bar	xx	B9422AA

- Chrome sliding bar
- Bar Ø 21mm
- Wall brackets
- Metal swivelling wall bracket (B98487AA)
- 5 year guarantee

Showerheads



Model	Price HT €	Ref
Ø 300mm rain shower head	xx	B9443AA
Ø 200mm rain shower head	xx	B9442AA
Ø 100mm rain shower head	xx	B9435AA




- 1 spray head
- Large spray 300/200/100mm
- Easy clean nozzles to prevent limescale build-up
- High performance spray pattern
- Chrome plate finish
- Slim design
- 12 l/min flow restrictor
- 5 year guarantee

Connections for shower heads



Model	Price HT €	Ref
For 300mm shower head wall arm	xx	B9444AA
For 400mm shower head wall arm	xx	B9445AA
For 150mm shower head wall arm	xx	B9446AA

- Plastic escutcheon
- G 1/2 connection
- Chrome plate finish
- 5 year guarantee



Wall elbow



Fixed wall bracket



Swivel wall bracket



Model	Price HT €	Ref
Wall elbow	xx	B9448AA

- Wall elbow - brass with check valve
- 5 year guarantee


Model	Price HT €	Ref
Fixed wall bracket	xx	B9467AA

- Wall bracket - plastic
- 5 year guarantee


Model	Price HT €	Ref
Swivel wall bracket	xx	B9468AA

- Wall bracket - plastic
- 5 year guarantee


5 YEAR GUARANTEE



5 YEAR GUARANTEE



5 YEAR GUARANTEE



For more information please contact:

Ideal Standard International NV
Corporate Village – Gent Building
Da Vincilaan 2
B-1935 Zaventem
Belgium

Tel: 1234567890



Ideal Standard

www.idealstandardinternational.com